

Learning from Deaths - Mortality Report

Purpose of Report

The 'National Guidance on Learning from Deaths' requires each Trust to collect and publish specified information on a quarterly basis. This report covers the period 31 May to 31 July 2022.

Executive Summary

Due to recent sickness within the mortality team, there is a backlog of non Datix reportable deaths that require reviewing against the red flags outlined in the Royal College of Psychiatrists Care Review Tool and the internal Trust red flags. All deaths reported through the Incident Reporting and Investigation Policy and Procedure (Datix) continue to be reviewed.

All deaths directly relating to Covid-19 are reviewed through the Learning from Deaths procedure unless they also meet a Datix red flag, in which case they are reviewed under the Incident Reporting and Investigation Policy and Procedure.

- From 31 May to 31 July 2022 there has been one death reported where the patient tested positive for COVID-19
- The Trust received 361 death notifications of patients who had been in contact with our service in the last six months. There is very little variation between male and female deaths; 188 male deaths were reported compared to 172 females.
- No Inpatient deaths were recorded
- The Mortality Review Group reviewed seven deaths through a Stage 2 Royal College of Psychiatrists Care Review Tool. These reviews were undertaken by a multi-disciplinary team and it was established that of the seven deaths reviewed, none were due to problems in care.
- The Trust has reported three Learning Disability (LD) deaths in the reporting timeframe and two patient with a diagnosis of Autism Spectrum Disorder (ASD).

Good practice identified through case note reviews is fed back to clinicians involved as part of our appreciative learning.

Strategic Considerations

1) We will deliver great care by delivering compassionate, person-centred innovative and safe care.	x
2) We will ensure that the Trust is a great place to work by creating a compassionate, skilled and empowered leadership, creating a vibrant culture where colleagues feel they belong, thrive and are valued.	
3) The Trust is a great partner and actively embraces collaboration as our way of working.	

4) We will make the best use of resources by making financially wise decisions and avoiding wasting resources to ensure financial recovery and long term sustainability.	
---	--

Assurances

This report provides assurance that the Trust is following recommendations outlined in the National Guidance on Learning from Deaths.

Consultation

Quality and Safeguarding Committee 11 October 2022.

Governance or Legal Issues

There are no legal issues arising from this report.

The Care Quality Commission Regulations - this report provides assurance as follows:

- Outcome 4 (Regulation 9) Care and welfare of people who use services
- Outcome 14 (Regulation 23) Supporting staff
- Outcome 16 (Regulation 10) Assessing and monitoring the quality of service provision
- Duty of Candour (Regulation 20).

Public Sector Equality Duty and Equality Impact Risk Analysis

In compliance with the Equality Delivery System (EDS2), reports must identify equality-related impacts on the nine protected characteristics age, disability, gender reassignment, race, religion or belief, sex, sexual orientation, marriage and civil partnership, and pregnancy and maternity (REGARDS people (Race, Economic disadvantage, Gender, Age, Religion or belief, Disability and Sexual orientation)) including risks, and say how these risks are to be managed.

Below is a summary of the equality-related impacts of the report:

- 31 May 2022 to 31 July 2022 There is very little variation between male and female deaths; 188 male deaths were reported compared to 172 females.
- No unexpected trends were identified according to ethnic origin or religion.

Recommendations

The Board of Directors is requested to accept this Mortality Report as assurance of the Trust's approach and agree for the report to be published on the Trust's website as per national guidance.

Report presented by: Dr Arun Chidambaram
Medical Director

Report prepared by: Rachel Williams
Lead Professional for Patient Safety and Experience
Louise Hamilton
Mortality Technician

Learning from Deaths - Mortality Report

1. Background

In line with the CQC's recommendations in its review of how the NHS investigates patient deaths, the National Quality Board published a framework for NHS Trusts - 'National Guidance on Learning from Deaths'¹. The purpose of the framework is to introduce a more standardised approach to the way NHS Trusts report, investigate and learn from patient deaths, which should lead to better quality investigations and improved embedded learning.

To date the Trust has met all of the required guidelines. The report presents the data for 31 May to 31 July 2022.

2. Current Position and Progress (including Covid-19 related reviews)

- The Trust is still waiting to ascertain if cause of death (COD) will be available through NHS digital. Currently COD's are being ascertained through the coroner officers in Chesterfield and Derby but only a very small number of COD have been made available.
- Seven Case Note Review sessions were undertaken, where seven incidents were reviewed. Unfortunately, six sessions did not take place due to lack of medic availability and one session did not take place due to Paris being offline.
- Regular audits continue to be undertaken to ensure compliance with policy and procedure and any necessary amendments made. This has included auditing complaint data against names of deceased patients to ensure this meets the requirements specified in the National guidance. The last audit was completed 17 June 2022.
- The monthly mortality review group meetings resumed in November 2020. These were put on hold during the Covid pandemic but have now resumed. During this period one meeting took place and one was cancelled due to the Medical Director been unavailable.

3. Data Summary of all Deaths

Note that inpatients and learning disability (LD) data is based upon whether the patient has an open inpatient or LD referral at time of death. The table below outlines information for 31 May to 31 July 2022.

	31 May	June	July
Total Deaths Per Month	2	171	188
LD Referral Deaths	0	2	1
ASD referral to LeDeR	0	2	0
Inpatient Deaths	0	0	0

Correct as of 2 August 2022

¹ National Guidance on Learning from Deaths. National Quality Board. March 2017

188 patients were male, 172 were female, 267 were white British and 5 Asian/Asian British Pakistani. The youngest age was 0 years, the eldest age was 105.

From 31 May to 31 July 2022, the Trust received 361 death notifications of patients who have been in contact with our services.

4. Review of Deaths

Total number of Deaths from 31 May 2022 to 31 July 2022 reported on Datix	51 “Unexpected deaths” 1 COVID-19 death 7 “Suspected deaths” 3 “Expected - end of life pathway” NB some expected deaths have been rejected so these incidents are not included in the above figure 0 Inpatient deaths
Incidents assigned for a review	54 incidents assigned to the operational incident group 0 did not meet the requirement 1 incident is to be confirmed

Only deaths which meet the criteria below are reported through the Trust incident reporting system (Datix) and these are also reviewed using the process of the *Untoward Incident Reporting and Investigation Policy and Procedure*; any patient open to services within the last six months who has died, and meets the following:

- Homicide – perpetrator or victim
- Domestic homicide - perpetrator or victim
- Suicide/self-inflicted death, or suspected suicide
- Death following overdose
- Death whilst an inpatient
- Death of an inpatient who died within 30 days of discharge from a DHCFT hospital
- Death following an inpatient transfer to acute hospital
- Death of patient on a Section of the Mental Health Act or Deprivation of Liberty Safeguards (DoLs) authorisation
- Death of patient following absconson from an inpatient unit
- Death following a physical restraint
- Death of a patient with a learning disability
- Death of a patient where there has been a complaint by family / carer / the Ombudsman, or where staff have raised a significant concern about the quality-of-care provision
- Death of a child (this will also be subject to scrutiny by the Child Death Overview Panel)
- Death of a patient open to safeguarding procedures at the time of death, which could be related to the death
- Death of a patient with historical safeguarding concerns, which could be related to the death
- Death where a previous Coroners Regulation 28 has been issued

- Death of a staff member whilst on duty
- Death of a child under the age of 18 of a current or previous service user who has died in suspicious circumstances
- Where an external organisation has highlighted concerns following the death of a patient whether they were open to the Trust at time of death or not.

5. Learning from Deaths Procedure

The mortality team review identified deaths against the 'red flags' outlined in the Royal College of Psychiatrists Care Review Tool.

- All patients where family, carers or staff have raised concerns about the care provided.
- All patients with a diagnosis of psychosis or eating disorders during their last episode of care, who were under the care of services at the time of their death or have been discharged within 6 months prior to their death.
- All patients who were an in-patient in a mental health unit at the time of death or who had been discharged from in-patient care within the last month.
- All patients who were under a Crisis Resolution and Home Treatment Team (or equivalent) at the time of death.

Those patient deaths which meet these 'red flag' criteria above should be subject to a review process if they are not already under the Incident process. At the stage of determining if a death meets the criteria for reporting as an incident, teams are required to review all deaths against the Trust Incident 'Red Flags'.

Over the last 12 months the Patient Safety Team with support from NHSE Patient Safety team have been considering current Trust identified Mortality red flags against the red flags identified in the Royal College of Psychiatrists Care Review Tool for mortality reviews. This tool was developed following the publication of the Learning from Deaths Guidance for Mental Health Trusts to use when undertaking mortality reviews. It has become clear that the Trust has overcommitted its resources in this area and a redesign of the Mortality (learning from deaths) process is required.

The red flags identified within the care review tool are met under the Trust Incident review process with the exception of psychosis within the last episode of care which has now been added as a Datix red flag.


The form based on section 1 of the Royal College of Psychiatrists Care Review Tool for mortality reviews still remains under development, the intention is that this form will be added to the Electronic Patient Record. It is important to note that clinical teams already assess each death when determining if a DATIX incident is required. This will release capacity within the Patient Safety team and allow for greater return on the Case Record Review process.

For the period 31 May to 31 July 2022, the Mortality Review Group reviewed 7 deaths through a Stage 2 Case Note Review. These reviews were undertaken by a multi-disciplinary team and it was established that of the 7 deaths reviewed, none were due to problems in care.

From the 31 May to 31 July 2022 there has been one death reported where the patient tested positive for Covid-19. The patient was female and from a White British background.

6. Analysis of Data

6.1 Analysis of deaths per notification system since 31 May to 31 July 2022




System	Number of Deaths
IAPT	9
PARIS	102
SystemOne	250
Grand Total	361

The data above shows the total number of deaths reported by each notification system. The majority of death notifications were predominately pulled from SystemOne. This clinical record system is aligned to our largest population of patients and a population at greatest risk of death due to the proportion of older people in our care.

6.2 Deaths by Gender


The data below shows the total number of deaths by gender 31 May to 31 July 2022. There is very little variation between male and female deaths; 188 male deaths were reported compared to 172 females and 1 not specified.



Gender	Number of Deaths
Male	188
Female	172
Not Specified	1
Grand Total	361

6.3 Death by Age Group

The youngest age was classed as 0, and the oldest age was 105 years. Most deaths occurred within the 80 to 91 age groups (indicated by the star).



6.4 Learning Disability Deaths (LD)

	31 May	June	July
LD Deaths	0	2	1
Autism Spectrum Disorder	0	2	0

The Trust reviews all deaths relating to patients diagnosed with a Learning Disability. The Trust also currently sends all Learning Disability deaths that have been reported through the Datix system to the Learning Disabilities Mortality Review (LeDeR) programme. Due to challenges in reporting out from the LeDeR programme, we are unable to ascertain how many of our Trust's deaths have been reviewed through the LeDeR process. The Trust continues to share relevant information with LeDeR when requested which is used to inform their reviews.

During 31 May to 31 July 2022, the Trust has recorded 3 Learning Disability deaths. The Trust now receives a quarterly update from LeDeR which highlights national good practice and identified learning; this is shared in the Mortality monthly meeting.

The Trust also is required from 1 January 2022 to report deaths of patients who have a diagnosis of Autism Spectrum Disorder (ASD) for this reporting period the Trust has reported 2 deaths.

6.5 Death by Ethnicity

White British is the highest recorded ethnicity group with 267 recorded deaths, 30 deaths had no recorded ethnicity assigned, and 6 people did not state their ethnicity. The chart below outlines all ethnicity groups.

Ethnicity	Number
Asian or Asian British - Pakistani	1
Mixed - Any other mixed background	2
Black or Black British - Any other Black background	2
White - Irish	2
Asian or Asian British - Indian	4
Not stated	6
White - Any other White background	7
Not Known	30
Other Ethnic Groups - Any other ethnic group	40
White - British	267
Grand Total	361

6.6 Death by Religion

Christianity is the highest recorded religion group with 132 recorded deaths, 168 deaths had no recorded religion assigned. The chart below outlines all religious groups.

Religion	Number
Jewish	1
Agnostic movement	1
Methodist	1
Buddhist	1
Sikh	1
Mormon	1
Hindu	1
None	1
Baptist	2
Muslim	2
Catholic religion	2
Jehovah's Witness	2
Atheist	2
Christian religion	2
Roman Catholic	2
Religion NOS	2
Not stated	3
Patient Religion Unknown	3
Not Religious	7
Church Of England	11
Church of England, follower of	20
Unknown	23
Christian	132
Grand Total	223

6.7 Death by Sexual Orientation

Heterosexual or straight is the highest recorded sexual orientation group with 157 recorded deaths. 193 have no recorded information available. The chart below outlines all sexual orientation groups.

Sexual Orientation	Number
(blank)	193
Lesbian or gay	1
Not Stated (declined)	2
Unknown	3
Sexual orientation not given - patient refused	5
Heterosexual Or Straight	18
Heterosexual	139
Total	361

6.8 Death by Disability

The table below details the top 5 categories by disability. Gross motor disability was the highest recorded disability group with 27 recorded deaths.

Disability	Number
Behaviour and emotional	2
Hearing disability	6
Emotional behaviour disability	7
Intellectual functioning disability	18
Gross motor disability	27

There was a total of 77 deaths with a disability assigned and the remainder 284 were blank (had no assigned disability).

7. Recommendations and Learning

Below are examples of the recommendations that have been undertaken following the review of deaths. These recommendations are monitored by the Patient Safety Team and are allocated to a specific team, and individuals to be completed. This is not an exhaustive list.

- Record Keeping – Safety Assessment To advise of the importance of collaborative safety assessment formulation within the electronic patient record to enable risk information, risk management and risk mitigation to be conveyed in an easily accessible way; risk information to include current risk and where available historical risks.
- Consultant Psychiatrist – Older Adult services to led on an educational session with medics in relation to the treatment and management of hyponatraemia, this should include specialist input from an Endocrinologist.
- For the General Manager and Clinical Directors for the inpatient services to collaboratively develop and implement a quality improvement programme in relation to multidisciplinary team meetings and documentation, this should include the engagement of Pharmacy.

- Review Trust Respect policy and increase understanding and confidence around end of life discussions and care and treatment.
- Joint working / learning with General Practitioners in relation to when referrals are needed. This includes individual feedback supported by the review lead to the practice in question and wider learning in relation to referrals into service for General Practitioners.